

# Work Order ID 65427-2

January 17, 2011 1:36:37 PM

Page 1

Item ID: D4035-043

Accept

Setup Start

Revision ID:

Stop

Item Name: Lid Rib Assembly, Aft (350 Basket)

Start Date: 1/17/11 Start Qty: 2.00

Cust Item ID:

Required Date: 1/20/11 Req'd Qty: 2.00

Customer:

Reference:

Approvals:

Process Plan: CL

Date: 1/10/11

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D4035

A

100

Weld per dwg. A/R S.S. rod Batch: 1114649 0.00



Large Fab

Large Fab

Memo

0.00

- 1- Cut D4035-3 as per dwg D4035
- 2- Drill holes using DT9563 and chamfer holes as per dwg D4035
- 3- remove identification marks and deburr
- 4- Weld bushing in rib and grind weld flush as per dwg D4035

SAD

11-01-26

11/02/07 (3)

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00



QC

Quality Control

Memo

0.00

11-02-07 (x3)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 65427

January 17, 2011 1:36:37 PM



Page 2

Item ID: D4035-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Lid Rib Assembly, Aft (350 Basket)

Start Date: 1/17/11 Start Qty: 2.00



Cust Item ID:

Required Date: 1/20/11 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

120

QC5- Inspect part completeness to step on W/O

0.00

5/11/02/07



QC

Memo

0.00

Quality Control

130

Identify as per dwg & Stock Location: WA

0.00

SAD



Packaging

Memo

0.00

Packaging

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/02/07  
ME  
11-02-07

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

January 17, 2011 1:36:36 PM

Page 1

Work Order ID: 65427

Parent Item: D4035-043

Parent Item Name: Lid Rib Assembly, Aft (350 Basket)



Start Date: 1/17/11

Required Date: 1/20/11

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP revA: new issue DD 09.11.25 verified by:EC  
per dwg revA 10.03.15 verified by:EC

IPP Rev:B as

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D4021-9 Manufactured No



Bushing

Location

Loc Qty

Loc Code

WA

9

56094

2

63854

7

M304TS0.750W.049

Purchased

No



304 SQ Tube .75x.75x.049W

100

f

165.0299

1.75

3.684211

Location

Loc Qty

Loc Code

MAT

120.5022679

113763

0

114323

8.15031894

114677

0.00001

114835

0.000039

116319

32.7652

116509

79.5867

MAT017

3.68448E-05

114298

3.6845E-05

WA

44.5276

114992

11.2825

115260

33.2451

B65906 (6) 11/02/03

SAD 11-01-28

36842 x 2 = 7.36

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
	X				D4035-041	LID RIB ASSY, FWD
		X			D4035-043	LID RIB ASSY, AFT
			X		D4035-045	LID RIB ASSY, FWD (LIGHT)
				X	D4035-047	LID RIB ASSY, AFT (LIGHT)
1	1				D4035-1	RIB
2		1			D4035-3	RIB
3			1		D4035-5	RIB
4				1	D4035-7	RIB
5				2	D4035-11	BUSHING
6	1				D2327-3	SPACER BUSHING
7			1		D2953-175	SPACER
8		2			D4021-9	BUSHING




**D4035-041 BASKET LID RIB ASSY, FWD**



**D4035-043 BASKET LID RIB ASSY, AFT**



**D4035-045 BASKET LID RIB ASSY, FWD (LIGHT)**



**D4035-047 BASKET LID RIB ASSY, AFT (LIGHT)**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 65427  
12/11/17

RELEASED  
2010-03-22

REV.	DESCRIPTION	BY	DATE
A	NEW ISSUE	JPH	10.03.04
DESIGN	AJS		
DRAWN	JPH		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.03.04		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4035** REV. A  
SHEET 1 OF 5

TITLE **BASKET LID RIB ASSY** SCALE NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD  
THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN FOR WHICH IT WAS ORIGINALLY INTENDED WITHOUT PERMISSION FROM DART AEROSPACE LTD



D4035-1  
RIB

D2327-3  
SPACER BUSHING

**D4035-041 BASKET LID RIB ASSY. FWD**



D4035-3  
RIB

D4021-9  
BUSHING  
2 PL

G  
G  
TYP

**D4035-043 BASKET LID RIB ASSY. AFT**

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.83 lbs
- 8) WELDING: PER DART QSI 004

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT


WITHOUT NOTICE  
WORK ORDER

NO. 65427  
C211/01/17


DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JFH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4035	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID RIB ASSY	NTS
DATE	10.03.04	COPYRIGHT © 2010 BY DART AEROSPACE LTD	

**RELEASED**  
2010-03-12  
W.D.





**D4035-045 BASKET LID RIB ASSY, FWD (LIGHT)**



**D4035-047 BASKET LID RIB ASSY, AFT (LIGHT)**


**RELEASED**  
2010-03-12

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.34 lbs
- 8) WELDING: PER DART QSI 004

SHOP COPY  
RETURN TO  
ENGINEERING  
**UNCONTROLLED COPY**  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
**WORK ORDER**  
NO. 65427


DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		<b>D4035</b>	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>BASKET LID RIB ASSY</b>	NTS
DATE	10.03.04	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.			




**SECTION A-A** B5-4

**NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.049 WALL  
PER ASTM A554/A269 MILL FINISH  
REF DART SPEC. M304TS0.750W.049
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.80 lbs



**D4035-1 RIB**



**D4035-3 RIB**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 65427

**RELEASED**  
2010-03-12

DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4035	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID RIB ASSY	NTS
DATE	10.03.04	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PROPERTY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

